


Individual Report		QCMD 2025 HIV-1 DNA EQA Scheme				 <b>QCMD</b> <small>Quality Control for Molecular Diagnostics</small>	
<b>Catalogue Code:</b> QAV034114	<b>Ref Code:</b> HIVDNA25	<b>Challenge:</b> C2	<b>Analysis Type:</b> Qualitative	<b>Dataset:</b> 873459	<b>Report UID:</b> 10077/873459/7668	<b>Laboratory</b> DE017	

## Intended Results / Panel Composition

Sample Code	Sample Content	Matrix	Sample Relationships <sup>[1]</sup>	Detection Frequency <sup>[2]</sup>	Sample Status <sup>[3]</sup>	Percentage Correct (All) <sup>[4]</sup>	
						(%)	(n)
HIVDNA25C2-01	HIV-1 Proviral DNA	Physiological Buffer	DS1_1, D1	Frequently Detected	CORE	95.7	46
HIVDNA25C2-02	HIV-1 Proviral DNA	Physiological Buffer	DS1_1, D1	Frequently Detected	CORE	100.0	46
HIVDNA25C2-03	HIV-1 Proviral DNA	Physiological Buffer	DS1_2	Detected	EDUCATIONAL	78.3	46
HIVDNA25C2-04	Negative	Physiological Buffer	-	Negative	CORE	80.4	46

**[1] Sample Relationships:** Indicates the relationships of the samples within this challenge. The highest titre member of dilution series DS1 is indicated by DS1\_1 and further members of the series as DS1\_2, DS1\_3 etc. in order of reducing titre. Additional dilution series are indicated by DS2 (e.g. DS2\_1, DS2\_2 etc.), DS3 (e.g. DS3\_1, DS3\_2 etc.). If one duplicate pair is present this is indicated by 'D1'. Further duplicate pairs are indicated by 'D2', 'D3' etc.

**[2] Detection Frequency:** To aid qualitative analysis each panel member is assigned a frequency of detection. This is based on the peer group consensus of all qualitative results returned from participants within the EQA challenge / distribution.

**[3] Sample Status:** EQA samples are defined as "CORE" or "EDUCATIONAL". Core proficiency samples are reviewed by the QCMD Scientific Expert(s). This is on the basis of scientific information, clinical relevance, current literature and, where appropriate, professional clinical guidelines. Participating laboratories are expected to report core proficiency samples correctly within the EQA challenge / distribution.

**[4] Percentage Correct (All):** Percentage of datasets (%) reporting the correct qualitative result and the total number of datasets (n) reported for each panel member.

*For further details please refer to the current participant manual.*

## Your Summary Results

<b>EQA Assessment Group <sup>[1]</sup></b>	In-House
<b>Core Panel Detection (Qualitative) Score <sup>[2]</sup></b>	<b>0</b>

# Individual Report QCMD 2025 HIV-1 DNA EQA Scheme



<b>Catalogue Code:</b> QAV034114	<b>Ref Code:</b> HIVDNA25	<b>Challenge:</b> C2	<b>Analysis Type:</b> Qualitative	<b>Dataset:</b> 873459	<b>Report UID:</b> 10077/873459/7668	<b>Laboratory</b> DE017
-------------------------------------	------------------------------	-------------------------	--------------------------------------	---------------------------	---	----------------------------

## Core Panel Members Results

Sample Code	Qualitative Results			Your Quantitative Data (for information only) <sup>[3]</sup>		
	Percentage Correct (All) <sup>[4]</sup>	Your Result <sup>[5]</sup>	Detection Score <sup>[6]</sup>	Reported Value	Unitage	Cycle Threshold
HIVDNA25C2-01	95.7	Positive	0		N/A	-
HIVDNA25C2-02	100.0	Positive	0		N/A	-
HIVDNA25C2-04	80.4	Negative	0		N/A	-

[1] **EQA Assessment Group:** To aid data analysis, participant results are grouped according to the molecular amplification/detection method specified within their molecular workflow for this challenge / distribution. For further details refer to the *Additional Information: Individual Panel Member Analysis* section of this report.

[2] **Core Panel Detection (Qualitative) Score:** An overall core panel detection score provided per challenge / distribution.

[3] **Quantitative Data (for information only):** This is the quantitative value, unitage and cycle threshold you provided when you submitted your results. For qualitative programmes this information is not used as part of your formal EQA assessment.


[4] **Percentage Correct (All):** Percentage of datasets (%) reporting the correct qualitative results for each panel member.

[5] **Your Result:** The qualitative result you reported for each sample within this EQA challenge / distribution.

[6] **Detection Score:** Your detection (qualitative) scores are based on the assigned detection frequency of each panel members, where 0 (zero) is "highly satisfactory" and 3 (three) is "highly unsatisfactory". Scores are provided for individual panel members.


*For further details please refer to the current participant manual.*

## Core Panel Member Score Breakdown






**Core Panel Member Score Breakdown - Detection:** This figure gives you a breakdown of the qualitative detection scores for all qualitative datasets returned within this EQA challenge / distribution independent of the EQA assessment group. Panel detection scores are generated from only those panel members that are defined as "CORE".

*For further details please refer to the current participant manual.*

Individual Report		QCMD 2025 HIV-1 DNA EQA Scheme				 <b>QCMD</b> <small>Quality Control for Molecular Diagnostics</small>	
Catalogue Code: QAV034114	Ref Code: HIVDNA25	Challenge: C2	Analysis Type: Qualitative	Dataset: 873459	Report UID: 10077/873459/7668	Laboratory DE017	

## My Workflow Details

The details of the workflow(s) used to submit your results for this challenge.

<b>Name</b>	HIV-1 proviral DNA (v4)
<b>Description</b>	HIV-1 provirale DNA, nested PCR, gel electrophoresis GAG POL ENV
<b>Targets</b>	 human immunodeficiency virus
<b>Assays</b>	<div>  <i>Extraction</i> - QIAGEN - QIAAsymphony SP System <ul style="list-style-type: none"> <li>Commercial <ul style="list-style-type: none"> <li>Kit Manufacturer: <i>QIAGEN</i></li> <li>Kit Type: <i>QIAAsymphony DSP Virus/Pathogen Midi Kit</i></li> </ul> </li> </ul> </div> <div>  <i>Amplification</i> - in-house nested PCR - Gel electrophoresis <ul style="list-style-type: none"> <li>In-House <ul style="list-style-type: none"> <li>Type: <i>Nested PCR</i></li> <li>NAT Product Detection: <i>Gel Analysis</i></li> </ul> </li> </ul> </div>

## Educational Panel Members Results

Sample Code	Qualitative Results			Your Quantitative Data (for information only) <sup>[1]</sup>		
	Percentage Correct (All) <sup>[2]</sup>	Your Result <sup>[3]</sup>	Detection Score <sup>[4]</sup>	Reported Value	Unitage	Cycle Threshold
HIVDNA25C2-03	78.3	Positive	<div>0</div>		N/A	-


[1] **Quantitative Data (for information only):** This is the quantitative value, unitage and cycle threshold you provided when you submitted your results. For qualitative programmes this information is not used as part of your formal EQA assessment.

[2] **Percentage Correct (All):** Percentage of datasets (%) reporting the correct qualitative results for each panel member.

[3] **Your Result:** The qualitative result you reported for each sample within this EQA challenge / distribution.

[4] **Detection Score:** Your detection (qualitative) scores are based on the assigned detection frequency of each panel members, where 0 (zero) is "highly satisfactory" and 3 (three) is "highly unsatisfactory". Scores are provided for individual panel members.

**For further details please refer to the current participant manual.**

Individual Report		QCMD 2025 HIV-1 DNA EQA Scheme				 <b>QCMD</b> <small>Quality Control for Molecular Diagnostics</small>	
<b>Catalogue Code:</b> QAV034114	<b>Ref Code:</b> HIVDNA25	<b>Challenge:</b> C2	<b>Analysis Type:</b> Qualitative	<b>Dataset:</b> 873459	<b>Report UID:</b> 10077/873459/7668	<b>Laboratory</b> DE017	

## Further Programme Details

Number of Participants	46
Number of Countries	20
Number of Respondents	40
Number of Datasets Submitted	46
Qualitative Results Returned	46 (100.0%)

## Comments

Performance on the negative sample, HIVDNA25C2-04 was lower than expected, however, this was primarily due to internal control failures affecting a subset of users. Importantly, there were no issues detected during quality control with the samples themselves and only one dataset (2.2%) reported a false positive result for the negative sample. Eight datasets (17.4%) reported “not determined” results due to failure of the internal control.


## EQA Programme Aims

To assess the proficiency of laboratories in the detection of human immunodeficiency virus type 1 (HIV-1) pro-viral DNA.

## Feedback and Enquiries

Participants are encouraged to read the QCMD Participants' Manual, which can be downloaded from the QCMD website.

Any enquiries should be submitted through the 'Contact Us' form that you can find in the 'Help' section of your QCMD (ITEMS) Participant Profile Area.

Individual Report		QCMD 2025 HIV-1 DNA EQA Scheme				 <b>QCMD</b> <small>Quality Control for Molecular Diagnostics</small>	
<b>Catalogue Code:</b> QAV034114	<b>Ref Code:</b> HIVDNA25	<b>Challenge:</b> C2	<b>Analysis Type:</b> Qualitative	<b>Dataset:</b> 873459	<b>Report UID:</b> 10077/873459/7668	<b>Laboratory</b> DE017	

Panel member analysis is separated into CORE samples followed by EDUCATIONAL samples.

## Additional Core Samples Information

The following section has been categorised as shown below:

Core ► Qualitative

## Individual Panel Member Analysis (Qualitative)

Qualitative analysis for each panel member is provided in relation to your EQA assessment group. EQA assessment groups are established using the molecular workflow information reported by all participants within this EQA challenge / distribution. The principal level of assessment is at the individual method level which is defined based on your reported “amplification/detection method” and other laboratories using the same or similar amplification/detection methods.


To allow meaningful assessment at the individual method level the EQA assessment group must consist of 5 or more datasets. If there are not sufficient datasets at the individual method level then your results will be included within a higher EQA assessment group based on whether it is a commercial or in house technology/method. The highest level assessment grouping is “All” participant reported qualitative results.

A breakdown of qualitative results reported by participants on each of the panel members within this EQA challenge / distribution is provided below. You can compare your results to those within your EQA assessment group and those obtained within other EQA assessment groups or to the overall consensus for each sample within this EQA challenge / distribution.

<b>Catalogue Code:</b> QAV034114	<b>Ref Code:</b> HIVDNA25	<b>Challenge:</b> C2	<b>Analysis Type:</b> Qualitative	<b>Dataset:</b> 873459	<b>Report UID:</b> 10077/873459/7668	<b>Laboratory</b> DE017
-------------------------------------	------------------------------	-------------------------	--------------------------------------	---------------------------	---	----------------------------

### HIVDNA25C2-01 - Qualitative Results Breakdown

Sample Code	Sample Content	Matrix	Sample Relationships	Detection Frequency	Sample Status	Percentage Correct (All)	
						(%)	(n)
HIVDNA25C2-01	HIV-1 Proviral DNA	Physiological Buffer	DS1_1, D1	Frequently Detected	CORE	95.7	46




**Groups below n=5:** Diatheva (n=1), Diatheva - Diatheva Real-time PCR (n=1), Roche - Roche Cobas TaqMan (n=2), Sacace (n=1), Sacace - Sacace Real TM (n=1), In-House - Conventional In-House PCR (n=2)

**Groups Rolled Up:** Biocentric - Biocentric Generic (n=15), Cepheid - Cepheid Xpert kit (n=8)


HIVDNA25C2-02 - Qualitative Results Breakdown

Sample Code	Sample Content	Matrix	Sample Relationships	Detection Frequency	Sample Status	Percentage Correct (All)	
						(%)	(n)
HIVDNA25C2-02	HIV-1 Proviral DNA	Physiological Buffer	DS1_1, D1	Frequently Detected	CORE	100.0	46




HIVDNA25C2-04 - Qualitative Results Breakdown

Sample Code	Sample Content	Matrix	Sample Relationships	Detection Frequency	Sample Status	Percentage Correct (All)	
						(%)	(n)
HIVDNA25C2-04	Negative	Physiological Buffer	-	Negative	CORE	80.4	46





Individual Report		QCMD 2025 HIV-1 DNA EQA Scheme				 <b>QCMD</b> <small>Quality Control for Molecular Diagnostics</small>	
<b>Catalogue Code:</b> QAV034114	<b>Ref Code:</b> HIVDNA25	<b>Challenge:</b> C2	<b>Analysis Type:</b> Qualitative	<b>Dataset:</b> 873459	<b>Report UID:</b> 10077/873459/7668	<b>Laboratory</b> DE017	

## Additional Educational Samples Information

The following section has been categorised as shown below:

Educational ► Qualitative

## Individual Panel Member Analysis (Qualitative)

Qualitative analysis for each panel member is provided in relation to your EQA assessment group. EQA assessment groups are established using the molecular workflow information reported by all participants within this EQA challenge / distribution. The principal level of assessment is at the individual method level which is defined based on your reported “amplification/detection method” and other laboratories using the same or similar amplification/detection methods.

To allow meaningful assessment at the individual method level the EQA assessment group must consist of 5 or more datasets. If there are not sufficient datasets at the individual method level then your results will be included within a higher EQA assessment group based on whether it is a commercial or in house technology/method. The highest level assessment grouping is “All” participant reported qualitative results.

A breakdown of qualitative results reported by participants on each of the panel members within this EQA challenge / distribution is provided below. You can compare your results to those within your EQA assessment group and those obtained within other EQA assessment groups or to the overall consensus for each sample within this EQA challenge / distribution.


# Individual Report QCMD 2025 HIV-1 DNA EQA Scheme



<b>Catalogue Code:</b> QAV034114	<b>Ref Code:</b> HIVDNA25	<b>Challenge:</b> C2	<b>Analysis Type:</b> Qualitative	<b>Dataset:</b> 873459	<b>Report UID:</b> 10077/873459/7668	<b>Laboratory</b> DE017
-------------------------------------	------------------------------	-------------------------	--------------------------------------	---------------------------	---	----------------------------

## HIVDNA25C2-03 - Qualitative Results Breakdown

Sample Code	Sample Content	Matrix	Sample Relationships	Detection Frequency	Sample Status	Percentage Correct (All)	
						(%)	(n)
HIVDNA25C2-03	HIV-1 Proviral DNA	Physiological Buffer	DS1_2	Detected	EDUCATIONAL	78.3	46



**Groups below n=5:** Diatheva (n=1), Diatheva - Diatheva Real-time PCR (n=1), Roche - Roche Cobas TaqMan (n=2), Sacace (n=1), Sacace - Sacace Real TM (n=1), In-House - Conventional In-House PCR (n=2)

**Groups Rolled Up:** Biocentric - Biocentric Generic (n=15), Cepheid - Cepheid Xpert kit (n=8)

**QCMD © 2025.** The QCMD EQA programme samples, associated reports and data generated during this programme are intended for External Quality Assessment (EQA) and Proficiency Testing (PT) purposes only. QCMD operates according to a strict Code of Practice which is in line with ISO/IEC 17043 and associated standards. Data reported in QCMD programmes is representative of a laboratory's standard diagnostic testing protocols irrespective of the technology they use. The data provided in the reports are based on technical information provided by the individual laboratories as part of the assessment process, as such it does not constitute a formal technology method comparison. All text and images produced by QCMD are the property of QCMD unless otherwise stated.

The reproduction and use of these materials is not permitted without the express written consent of QCMD. The use of the information provided in QCMD reports for commercial purposes is strictly prohibited.